



AUTOMOTIVE

27-66

Starting, Lighting, Ignition batteries range are available for all tye of cars like General Motors, Ford, Chrysler, Toyota, Nissan, Mazda, Honda, Hyundai, Daewoo, Mercedes, BMW, Audi, Peugeot, Oel, Fiat, and many other vehicle brands.

| AH Capacity | CCA SAE | Dimension (mm) | | | Layout | Terminal | Hold-Down |
|-------------|---------|----------------|-----------|------------|--------|------------|-----------|
| | | Length (L) | Width (W) | Height (H) | | | |
| 66 | 550 | 278 | 175 | 175 | 0 | A Standard | B13 |



LAYOUT FOR JIS & DIN




TERMINALS









| Terminal | A (Standard) | B (Small) | Top Post | Dual Fit | 4F | Stud | Side |
|----------|--------------|-----------|----------|----------|----|------|------|
| Positive | | | | | | | |
| Negative | | | | | | | |

*DT: Dual Terminal (Standard + Side)

LAYOUT FOR BCI



HOLD - DOWN

| | | | |
|------------|---|------------|---|
| B1 |  <p>10.5mm on long sides only</p> | B4 |  <p>5 notches 19.0mm on long sides only</p> |
| B5 |  <p>13.5mm on long sides only</p> | B6 |  <p>29.0</p> |
| B8 |  <p>13.5mm on long sides only</p> | B9 |  <p>slots on long sides, 29.0mm on short sides</p> |
| B13 |  <p>5 notches 10.5mm on all four sides</p> | B14 |  <p>5 notches 19.0mm on all long sides, 10.5mm on short sides</p> |

The details highlighted in this doc is an essential guide to our range of batteries. It provides all the facts and figures you need to know about battery spec, & ratings. For further details please go back to our website

www.mecco.com